


UC Berkeley EECS
Adj. Ass. Prof.
Dr. Gerald Friedland

Computational Structures in Data Science

Lecture #3: Recursion

Go watch Inception!
(Movie about recursion)



September 9, 2016 <http://inst.eecs.berkeley.edu/~cs88>


CS88 news

- Homework will have “Challenge problems”
- Project 1 coming soon!
Site to know: www.stackoverflow.com
- Enrollment up to about 50. We might open a 3rd section.

09/09/16 UCB CS88 Fa16 L3 2

Computational Concepts today

- Variable Scope (also: see reading)
- Recursion



09/09/16 UCB CS88 Fa16 L3 3

Remember: Functions

```
def <function name> (<argument list>) :
```

↓ ↓

```
return expression
```

```
def concat(str1, str2):
    return str1+str2;
concat("Hello", "World")
```

- Generalizes an expression or set of statements to apply to lots of instances of the problem
- A function should *do one thing well*

09/09/16 UCB CS88 Fa16 L3 4

Variable Scope

When an input is passed to a function, what does the function actually get?


- Internal variables get a copy of input values, with the exception of mutable objects

Local variables only exist within the function in which they are defined

- The variables cease to exist when the function ends
- The scope of a variable is the part(s) of code where that variable name binding is valid (i.e. where it exists)

9/9/16 UCB CS88 Fa16 L3 5

Variable Scope (Python)



09/09/16 UCB CS88 Fa16 L3 6

Variable Scope: Example I

```
i = 1
def foo():
    i = 5
    print(i, 'in foo()')
print(i, '=global')
foo()
```

Output?

```
1=global
5 in foo()
```

9/9/16

UCB CS88 Fa16 L3

7

Variable Scope: Example II

```
a_var = 'global value'
def a_func():
    global a_var
    a_var = 'local value'
    print(a_var, '[ a_var inside
a_func() ]')
print(a_var, '[ a_var outside a_func() ]')
a_func()
print(a_var, '[ a_var outside a_func() ]')
```

Output?

```
global value [ a_var outside a_func() ]
local value [ a_var inside a_func() ]
local value [ a_var outside a_func() ]
```

9/9/16

UCB CS88 Fa16 L3

8

Recursion

re·cur·sion

/riˈkɜːʒən/ ⓘ

noun MATHEMATICS LINGUISTICS

- the repeated application of a recursive procedure or definition.
- a recursive definition.
- plural noun: recursions

re·cur·sive

/riˈkɜːsɪv/ ⓘ

adjective

characterized by recurrence or repetition, in particular.

• MATHEMATICS LINGUISTICS

relating to or involving the repeated application of a rule, definition, or procedure to successive results.

• COMPUTING

relating to or involving a program or routine of which a part requires the application of the whole, so that its explicit interpretation requires in general many successive executions.

Recursive function calls itself, directly or indirectly

9/9/16

UCB CS88 Fa16 L3

9

Reminder: Iteration

<initialization statements>

```
for <variables> in <sequence expression>:
    <body statements>
```

<rest of the program>

<initialization statements>

```
while <predicate expression>:
    <body statements>
```

<rest of the program>

```
[ <expr with loop var> for <loop var> in <sequence expr > ]
```

9/9/16

UCB CS88 Fa16 L3

10

Iteration vs Recursion

For loop:

```
def sum(n):
    s=0
    for i in range(0,n+1):
        s=s+i
    return s
```

9/9/16

UCB CS88 Fa16 L3

11

Iteration vs Recursion

While loop:

```
def sum(n):
    s=0
    i=0
    while i<n:
        i=i+1
        s=s+i
    return s
```

9/9/16

UCB CS88 Fa16 L3

12

Iteration vs Recursion

Recursion:

```
def sum(n):
    if n==0:
        return 0
    return n+sum(n-1)
```

9/9/16 UCB CS88 Fa16 L3 13

Recursion: Pattern

```
def sum(n):
    if n == 0:
        return 0
    return n + sum(n-1)
```

1. Test for simple "base" case
2. Solution in simple "base" case
3. Assume recursive solution to simpler problem
4. Transform sol'n of simpler problem into full sol'n

- Linear recursion

9/9/16 UCB CS88 Fa16 L3 14

Why does it work?

```
sum(3)
# sum(3) => 3 + sum(2)
#           => 3 + sum(2) + sum(1)
#           => 3 + sum(2) + sum(1) + sum(0)
#           => 3 + sum(2) + sum(1) + 0
#           => 3 + sum(2) + 1
#           => 3 + 3
#           => 6
```

9/9/16 UCB CS88 Fa16 L3 15

How does it work?

- Each recursive call gets its own local variables
 - Just like any other function call
- Computes its result (possibly using additional calls)
 - Just like any other function call
- Returns its result and returns control to its caller
 - Just like any other function call
- The function that is called happens to be itself
 - Called on a simpler problem
 - Eventually bottoms out on the simple base case
- Reason about correctness "by mathematical induction"
 - Solve a base case
 - Assuming a solution to a smaller problem, extend it

9/9/16 UCB CS88 Fa16 L3 16

Local variables

```
def sum(n):
    if n==0:
        return 0
    return n+sum(n-1)
```

Each call has its own "frame" of local variables

9/9/16 UCB CS88 Fa16 L3 17

Sanity Check...

- Recursion is ■ Iteration (i.e., loops)
 - a) more powerful than
 - b) just as powerful as
 - c) less powerful than

YOUR PARTY ENTERS THE TAVERN.

I GATHER EVERYONE AROUND A TABLE. I HAVE THE ELVES START WHITTILING DICE AND GET OUT SOME PARCHMENT FOR CHARACTER SHEETS.

HEY, NO RECURSING.

9/9/16 UCB CS88 Fa16 L3 18

Why Recursion?

- “After Abstraction, Recursion is probably the 2nd biggest idea in this course”
- “It’s tremendously useful when the problem is self-similar”
- “It’s no more powerful than iteration, but often leads to more concise & better code”
- “It’s more ‘mathematical’”
- “It embodies the beauty and joy of computing”
- ...


9/9/16

UCB CS88 Fa16 L3

19

Why Recursion? More Reason

- Recursive structures exist (sometimes hidden) in nature and therefore in data!
- It’s mentally and sometimes computationally more efficient to process recursive structures using recursion.



9/9/16

UCB CS88 Fa16 L3

20

Recursion (unwanted)




9/9/16

UCB CS88 Fa16 L3

21

Example I

List all items on your hard disk



- Files
- Folders contain
 - Files
 - Folders

Recursion!

9/9/16

UCB CS88 Fa16 L3

22

List Files in Python

```

def listfiles(directory):
    content = [os.path.join(directory, x) for x in os.listdir(directory)]
    dirs = sorted([x for x in content if os.path.isdir(x)])
    files = sorted([x for x in content if os.path.isfile(x)])

    for d in dirs:
        print d
        listfiles(d)

    for f in files:
        print f
    
```

Iterative version about twice as much code and much harder to think about.


9/9/16

UCB CS88 Fa16 L3

23

Example II

Sort the numbers in a list.



Hidden recursive structure: Decision tree!

9/9/16

UCB CS88 Fa16 L3

24

Tree Recursion makes Sorting Efficient

Break the problem into multiple smaller sub-problems, and solve them recursively

```
def split(x, s):
    return [i for i in s if i <= x], [i for i in s if i > x]

def qsort(s):
    """Sort a sequence - split it by the first element,
    sort both parts and put them back together."""
    if not s:
        return []
    else:
        pivot = first(s)
        lessor, more = split(pivot, rest(s))
        return qsort(lessor) + [pivot] + qsort(more)


>>> qsort([3,3,1,4,5,4,3,2,1,17])
[1, 1, 2, 3, 3, 3, 4, 4, 5, 17]
```

9/9/16

UCB CS88 Fa16 L3

25

QuickSort Example



9/9/16

UCB CS88 Fa16 L3

26

Questions?

9/9/16

UCB CS88 Fa16 L3

27