

Computational Structures in Data Science

Lecture: Mutable Data



Maps Project Out!

- **Partner Project**
 - See thread on Ed
 - "Phases" break the project down:
 - **Phases 0 and 1 are easier** than 2 and 3.
 - Checkpoint Oct 6 (Friday)
 - Worth 4/40 points, you need to make progress on Phase 0 and 1 (easier parts)
 - Final Deadline Oct 16 (Mon)
 - 3 points for 3 day early submission (no slip days available)
 - (Autograder will be updated to reflect this later)

Computational Structures in Data Science

Mutability



Learning Objectives

- Distinguish between when a function mutates data, or returns a new object
 - Many Python "default" functions return new objects
- Understand modifying objects in place
- Python provides "is" and "==" for checking if items are the same, in different ways

Why does Mutability Matter?

- Mutable data is a reality — lists, dictionaries, objects (coming soon)
- It's a challenging aspect of programming
- There are common patterns, which you will *slowly* become familiar with and internalize.
- **Use your environment diagrams!**

Objects in Python

- An **object** is a bundle of data and behavior.
- A type of object is called a **class**.
- Every value in Python is an object.
 - string, list, int, tuple, et
- All objects have attributes
- Objects often have associated methods
 - `lst.append()`, `lst.extend()`, etc
- **Objects have a value (or values)**
 - Mutable: We can change the object after it has been created
 - Immutable: We cannot change the object.
- Objects have an *identity*, a reference to that object.

Immutable Object: string

- `course = 'CS88'`

- **What kind of object is it?**

- `type(course)`

- **What data is inside it?**

- `course[0]`

- `course[2:]`

- **What methods can we call?**

- `course.upper()`

- `course.lower()`

- None of these methods modify our original string.

Mutable Objects: lists and dictionaries

- Immutable – the value of the object cannot be changed
 - integers, floats, booleans
 - strings, tuples
- Mutable – the value of the object can change
 - Lists
 - Dictionaries

```
>>> alist = [1,2,3,4]
>>> alist
[1, 2, 3, 4]
>>> alist[2]
3
>>> alist[2] = 'elephant'
>>> alist
[1, 2, 'elephant', 4]
```

```
>>> adict = {'a':1, 'b':2}
>>> adict
{'b': 2, 'a': 1}
>>> adict['b']
2
>>> adict['b'] = 42
>>> adict['c'] = 'elephant'
>>> adict
{'b': 42, 'c': 'elephant', 'a': 1}
```


Dictionaries

Constructors:

```
dict( hi=32, lo=17)
dict([('hi',212),('lo',32),(17,3)])
{'x':1, 'y':2, 3:4}
{wd : len(wd) for wd in "The quick brown fox".split()}
```

Selectors:

```
water['lo']
<dict>.keys(), .items(), .values()
<dict>.get(key [, default] )
```

Operations:

```
in, not in, len, min, max
'name' in course
```

Mutators

```
course['number'] = 'C88C'
course.pop('room')
del course['room']
```

Immutability vs Mutability

- An immutable value is unchanging once created.
- Immutable types (that we've covered): int, float, string, tuple

```
a_string = "Hi y'all"  
a_string[1] = "I" # ERROR  
a_string += ", how you doing?"  
an_int = 20  
an_int += 2
```


- A mutable value can change in value throughout the course of computation. All names that refer to the same object are affected by a mutation.
- Mutable types (that we've covered): list, dict

```
grades = [90, 70, 85]  
grades_copy = grades  
grades[1] = 100 # grades_copy changes too!  
words = {"agua": "water"}  
words["pavo"] = "turkey"
```

Mutation in Environments

- A variable assigned a compound value (object) is a reference to that object.
- Mutable objects can be changed but the variable(s) still refer to it
 - x is still the same object, but its values have changed.

```
x = [1, 2, 3]
y = 6
x[1] = y
x[1]
```



Mutating Lists: Example functions of the `list` class

- `append()` adds a single element to a list:

```
s = [2, 3]
```

```
t = [5, 6]
```

```
s.append(4)
```

```
s.append(t)
```

```
t = 0
```

[Try in PythonTutor.](#)

- `extend()` adds all the elements in one list to another list:

```
s = [2, 3]
```

```
t = [5, 6]
```

```
s.extend(4) #  Error: 4 is not an iterable!
```

```
s.extend(t)
```

```
t = 0
```

[Try in PythonTutor.](#) (After deleting the bad line)

Mutating Lists -- More Functions!

- `list += [x, y, z]` # just like `extend`.
 - [You need to be careful with this one!](#) It modifies the list.
- `pop()` removes and returns the last element:

```
s = [2, 3]
t = [5, 6]
t = s.pop()
```

[Try in PythonTutor.](#)

- `remove()` removes the first element equal to the argument:

```
s = [6, 2, 4, 8, 4]
s.remove(4)
```

[Try in PythonTutor.](#)

Python Tutor: Assignments Are References

Python 3.6


```
1 x = 2
2 y = 3
3 print(x+y)
4 x = 4
→ 5 print(x+y)
```

[Edit this code](#)

Print output (drag lower right corner to resize)

```
5
7
```

Frames Objects



Python 3.6


```
1 x = [1, 2, 3]
2 y = x
3 print(y)
4 x[1] = 11
→ 5 print(y)
```

[Edit this code](#)

Print output (drag lower right corner to resize)

```
[1, 2, 3]
[1, 11, 3]
```

Frames Objects



Mutable Data Inside Immutable Objects

- Mutable objects can "live" inside immutable objects!
- An immutable sequence may still change if it contains a mutable value as an element.
- Be **very careful**, and probably don't do this!

```
t = (1, [2, 3])
```

```
t[1][0] = 99
```

```
t[1][1] = "Problems"
```

- [Try in PythonTutor](#)

Equality vs Identity

```
list1 = [1,2,3]
```

```
list2 = [1,2,3]
```

- **Equality:** `exp0 == exp1`
evaluates to True if both `exp0` and `exp1` evaluate to objects containing equal values (Each object can define what `==` means)

```
list1 == list2 # True
```

- **Identity:** `exp0 is exp1`
evaluates to True if both `exp0` and `exp1` evaluate to the same object
- Identical objects always have equal values.

```
list1 is list2 # False
```

- [Try in PythonTutor.](#)

Identity and == vs is

How do we know if two names (variables) are the same exact object? i.e. Will modifying one modify the other?

```
>>> alist = [1, 2, 3, 4]
>>> alist == [1, 2, 3, 4] # Equal values?
True
>>> alist is [1, 2, 3, 4] # same object?
False
>>> blist = alist # assignment refers
>>> alist is blist # to same object
True
>>> blist = list(alist) # type constructors copy
>>> blist is alist
False
>>> blist = alist[ : ] # so does slicing
>>> blist is alist
False
>>> blist
[1, 2, 3, 4]
>>>
```

What is the meaning of `is`?

- `is` in Python means two items have the exact same *identity*
- Thus, `a is b` implies `a == b`
- Why? Each object has a function `id()` which returns its "address"
 - We won't get into what this means, but it's essentially an internal "locator" for that data in memory.
 - Think of two houses which have the exact same floor plan, look the same, etc. They are "the same house" but each has a unique address. (And thus are different houses)

Computational Structures in Data Science

Passing Data Into Functions



Learning Objectives

- Passing in a mutable object in a function in Python lets you modify that object
- Immutable objects don't change when passed in as an argument
- Making a new name doesn't affect the value outside the function
- Modifying mutable data **does** modify the values in the parent frame.

Mutating Arguments

- Functions can mutate objects passed in as an argument
- Declaring a new variable with the same name as an argument only exists within the scope of our function
 - You can think of this as creating a new name, in the same way as redefining a variable.
 - This will **not** modify the data outside the function, even for mutable objects.
- **BUT**
 - We can still directly modify the object passed in...even though it was created in some other frame or environment.
 - We directly call methods on that object.
- [View Python Tutor](#)

Understanding Python: What should we return?

- Why do some functions return None?
- Why do some functions return a value?

Functions that mutate an argument **usually** return None!

C88C / 61A / Data Science View: Avoid mutating data unless it's necessary!

Mutations are useful, but can get confusing quickly. This is why we focus on *functional programming* - map, filter, reduce, list comprehensions, etc.

Functions that Mutate vs Return New Objects

- Lists:
 - `sorted(list)` – returns a new list
 - `list.sort()` – modifies the list, returns `None`
 - `list.append()` – modifies the list, returns `None`
 - `list.extend()` – modifies the list, returns `None`

Python Gotcha's: `a += b` and `a = a + b`

- Sometimes similar *looking* operations have very different results!
- Why?
- `=` always binds (or re-binds) a value to a name.
- [Python Tutor](#)

```
def add_data_to_thing(thing, data):  
    print(f"+=", Before: {thing}")  
    thing += data  
    print(f"+=", After: {thing}")  
    return thing
```

```
def new_thing_with_data(thing, data):  
    print(f"=", Before: {thing}")  
    thing = thing + data  
    print(f"=", After: {thing}")  
    return thing
```


Computational Structures in Data Science

Mutable Functions



Learning Objectives

- Remember: Each function gets its own new frame
- Inner functions can access data in the parent environment
- Use an inner function along with a mutable data type to capture changes

Making Functions that Capture and change state

- We want to make a function, which returns a function that can change the state.
- [Python Tutor Link](#)

```
def make_counter():  
    counter = [0]  
    def count_up():  
        counter[0] += 1  
        return counter  
    return count_up
```

```
c = make_counter()
```

```
print(c)
```

```
c()
```

```
c()
```

```
c()
```

Functions with Changing State

- Goal: Use a function to repeatedly withdraw from a bank account that starts with \$100.
- Build our account: `withdraw = make_withdraw_account(100)`
- First call to the function:
`withdraw(25) # 75`
- Second call to the function:
`withdraw(25) # 50`
- Third call to the function:
`withdraw(60) # 'Insufficient funds'`

How Do We Implement Bank Accounts?

- A mutable value in the parent frame can maintain the local state for a function.
- [View in PythonTutor](#)

```
def make_withdraw_account(initial):  
    balance = [initial]  
  
    def withdraw(amount):  
        if balance[0] - amount < 0:  
            return 'Insufficient funds'  
        balance[0] -= amount  
        return balance[0]  
    return withdraw
```

Implementing Bank Accounts

- A mutable value in the parent frame can maintain the local state for a function.

```
def make_withdraw_account(initial):  
    balance = [initial]  
  
    def withdraw(amount):  
        if balance[0] - amount < 0:  
            return 'Insufficient funds'  
        balance[0] -= amount  
        return balance[0]  
    return withdraw
```