DATA C88C Fall 2025

Michael Ball Final

	ons last update			-				25					
Your S	Student ID:												
1001													
Exam	Room:												
Stude	nt ID of the pers	on to	your	·left:									
Stude	nt ID of the pers	on to	VOUIT	righ	t:								
			y o a i	8									
You ha	ave 180 minutes	s. The	ere ar	e 10	quest	tions	of va	rying	cred	lit. (1	10 pc	ints tota	al)
	Ques- tion:	1	2	3	4	5	6	7	8	9	10	Total	
	Points:	18	12	12	10	12	12	10	10	14	0	110	
For questions with circular bubbles , you may select only one choice. For questions with square check box you may select one or more choices.													
()	O Unselected option (Completely unfilled)					You can select							
	on't do this (it v	n't do this (it will be graded as						multiple squares					
Ø i	ncorrect)						☑ (Don't do this)						
	Only one selected	d opt:	ion (c	comp	letely	7							

Anything you write outside the answer boxes or you cross out will not be graded. If you write multiple answers, your answer is ambiguous, or the bubble/checkbox is not entirely filled in, we will grade the worst interpretation. For coding questions with blanks, you may write at most one statement per blank and you may not use more blanks than provided.

As a member of the UC Berkeley community, I act with honesty, integrity, and respect for others. I will follow the rules of this exam.

Acknowledge that you have read and agree to the honor code above and sign your name below:

Q1 Potpourri of Python 2

(18 points)

For each of these questions, assume that the code is executed in a fresh Python interpreter, unless otherwise specified. If any of the code results in an error, select "Error" as your answer (for multichoice questions) or write "Error" (for free-response questions).

Q1.1 (1 point) Assume the following code is executed.

```
>>> siblings = ['pj', 'teddy', 'toby', 'charlie', 'gabe']
>>> duncan = ['bobs', 'bugs', 'be', 'gone']
>>> siblings.append(siblings.extend([ w for w in duncan if len(w) % 2 == 0 ]))
>>> len(siblings)
```

What is the output of the last line?

O 5	O 9
O 7	1 0
O 8	○ Error

Q1.2 (1 point) Assume the following code is executed. (The first two lists are the same as the previous question.)

```
>>> siblings = ['pj', 'teddy', 'toby', 'charlie', 'gabe']
>>> duncan = ['bobs', 'bugs', 'be', 'gone']
>>> list(map(lambda x: len(siblings[x]) + len(duncan[x]), range(len(duncan))))
```

What is the output of the last line?

```
● [6, 9, 6, 11]
○ [6, 7, 4, 9]
○ [6, 9, 8, 11]
○ [6, 9, 8, 11]
```

Q1.3 (1 point) Assume the following code is executed. (The first two lists are the same as the previous questions.)

```
>>> siblings = ['pj', 'teddy', 'toby', 'charlie', 'gabe']
>>> duncan = ['bobs', 'bugs', 'be', 'gone']
>>> list(map(lambda x: len(siblings[x]) + len(duncan[x]), range(len(siblings))))
```

What is the output of the last line? (Yes, the last line is different from before.)

```
○ [6, 9, 6, 11, 8]
○ [2, 5, 4, 7, Error]
○ [6, 7, 4, 9, Error]
○ [6, 9, 6, 11, 0]
```

Q1.4	(1 point) Assume the following code is executed, for parts 1.4 to 1.6. Recall that string.split() splits a string into a list of words, separated by a space. e.g., 'hello world'.split() returns ['hello', 'world'].								
	<pre>i = (item while i </pre>	<pre>= ['siu mai', 'cha siu bao', 'egg tart cheung fun', 'ha gau', 'xiao long bao'] = None e i < len(food): parts = food[i].split() if len(parts) == 3: item = food[i] i += len(parts)</pre>							
	What	What is the value of item after executing the above code?							
	0	'siu mai'	O'cheung fun'						
	0	'cha siu bao'	○ 'ha gau'						
	0	'egg tart'							
	0	'pineapple bun'	○ Error						
Q1.5	_	ints) Continuing from the previous question bove code?	n, what is the final value of i after executing						
	9								
Q1.6	_	ints) Which of the following modifications to ite loop? Consider each answer option indepime.							
	☐ Changing i += len(parts) to i += 1								
	Changing if len(parts) == 3: to if len(parts) >= 1:								
	Changing i += len(parts) to i -= 1								
	☐ Changing while i < len(food): to while i > len(food):								
	Adding the line food.extend(food) right after the line i += len(parts)								
	O None of the above								

Q1.7 (1 point) Assume the following co	ode is executed:
>>> m = map(lambda x: x * x, >>> m <map 0x10534e5f0="" at="" object=""></map>	range(2, 3))
>>> next(m)	
What is the output of the last line	??
O 0	O 9
• 4	O Error
O 6	
additional call to next(m)?	previous question, what is the output of the next line, an
>>> next(m)	S.1
What is the output of the last line	
0 0	O 9
O 4	O 16
O 6	● Error
O 8	
Q1.9 (2 points) Given that we can call object is returned by map and fil	next() on the result of a map or filter function, what type of ter in Python 3?
O list	O dictionary
O set	O generator function
<pre>iterator</pre>	O Error
Q1.10 (2 points) Considering the WHERE is most similar in functionality to	statement in SQL, which of the following Python functions owners?
\bigcirc map	\bigcirc range
<pre>filter</pre>	○ Error
O reduce	O None of the above
○ zip	


Q1.11 (1 point) In lecture, we saw a function called reverse, which correctly reverses a string. A slightly modified version of the function is shown below (and is also correct). However, it has an unexpected behavior when called with a list argument.

- Q1.12 (2 points) Considering the same reverse function from the previous question, which of the following modifications would allow it to correctly reverse both strings and lists?
 - Change the base case to return s instead of ''
 - O Change the condition in the base case to if len(s) == 0: instead of if not s:
 - O Change the recursive case to use s[0] instead of s[:1]
 - O Change the recursive case to use s.pop() instead of s[:1]
 - \bigcirc Change the recursive case to use s[-1] instead of s[:1]
 - O Use append instead of the + operator
 - O It is not possible to modify the function to handle both types
- Q1.13 (1 point) What is the runtime of reverse, given the input n is the length of the string or list being reversed?
 - O(1)
 - $\bigcap O(\log(n))$
 - \bigcirc O(n)
 - $\bigcirc O(n^2)$
 - $O(2^n)$

Q2 An Inconvenient Truth: Environment Diagrams

(12 points)

Fill in the blanks to complete the environment diagram. Assume code has been fully run before filling in blanks. The blanks with no labels have no questions associated with them and are not scored. Please note: If more than one blank shares the same label (e.g., '(c)'), they have the same answer.



```
def a(predicate):
1
2
       d = lambda x: x[0] == "c"
3
       def b(genre):
4
            for key in movies:
5
                if d(key):
6
                    movies[key].append(new_movies[genre][0])
7
                else:
8
                    movies[key].pop()
9
            return "movies"
10
       return b
11
   movies = {"horror": ["IT", "Conjuring"], "comedy": ["Elf", "Home Alone"]}
12
   new_movies = {"horror": ["Annabelle", "Until Dawn"], "comedy": ["Hangover", "Ted"]}
13
14
15
   c = lambda x: print("value")
16
   G = a(c)
17
   R = G("comedy")
```

Q2.1 (1 point) Fill in blank (a).

Global			

Q2.2 (1 point) Fill in blank (b).

```
"comedy"
```

Q2.3 (1 point) Fill in blank (c).

f1

Q2.4 (2 points) After the last successful iteration, what is the value of movies ["horror"]?

- ["IT", "Conjuring"]
- ["IT"]
- O ["Conjuring"]
- O ["IT", "Conjuring", "Annabelle"]
- \bigcirc []

Q2.5 (2 points) After the last successful iteration, what is the value of movies ["comedy"]?

```
["Elf", "Home Alone", "Hangover"]
```

Q2.6 (2 points) Fill in blank (f).

```
"movies"
```

Q2.7 (1.5 points) Fill in blank (g).

```
False
```

Q2.8 (1.5 points) Fill in blank (h).

```
True
```

(12 points)

Sarah wants to figure out where to buy a Christmas gift. Implement a higher order function:

- The outer function, find_gift, takes in a string gift representing the item Sarah is looking for and returns the inner function.
- The inner function, search, takes in an arbitrarily nested dictionary gift_dict representing the locations of gifts and returns a string representing the path to the desired gift from the outer function (see the doctests for examples).

The gift_dict has the following structure:

- 1. **Key**: The location of a gift (string)
- 2. Value: Either:
 - 1. The name of an item in that location (string), or
 - 2. Another dictionary structured the same way as gift_dict

See the doctests for examples of what the gift_dict could look like. For example, gift_dict3 is a dictionary where the gift "MacBook Pro" is located in the "Macs" department of the "Apple Store" on "4th Street". You may assume gift_dict will never be empty and the gift will always appear exactly once in gift_dict, either directly or inside a nested dictionary.

Hint: The built-in function isinstance checks if an item is of a certain data type. For example, isinstance([1, 2, 3], list) returns True.

```
>>> gift_dict1 = {"Target": "socks", "Nordstrom": "lipstick"}
   >>> find_gift("socks")(gift_dict1)
 3
    'Target'
 4
   >>> gift_dict2 = {
 5
 6
            "Target": "socks",
   . . .
 7
   . . .
            "Nordstrom": {"Makeup": "lipstick", "Clothes": "shirt"}
 8
   ...}
 9
   >>> find_gift("shirt")(gift_dict2)
    'Nordstrom -> Clothes'
10
11
12
   >>> gift_dict3 = {
            "4th Street": {
13
   . . .
                "Apple Store": {"Phones": "iPhone 14", "Macs": "MacBook Pro"}
14
   . . .
15
            },
            "Target": "socks",
16
   . . .
17
   . . .
            "Nordstrom": { "Makeup": "lipstick", "Clothes": "shirt" }
18
19
   >>> find_gift("MacBook Pro")(gift_dict3)
    '4th Street -> Apple Store -> Macs'
20
   >>> find_gift("socks")(gift_dict3)
21
22
   >>> find_gift("lipstick")(gift_dict3)
23
   'Nordstrom -> Makeup'
24
```

```
SID: _____
```

```
1
   def find_gift(gift):
2
       def search(gift_dict):
3
            for store in gift_dict:
4
                current_gift = ___(a)___
5
                if ___(b)___:
6
                    return store
7
                if ___(c)___:
                    location = ___(d)___
8
9
                    if location:
                        return f"{__(e.1)__} -> {__(e.2)__}"
10
       return ___(f)___
11
```

Q3.1 (2 points) Fill in blank (a).

```
gift_dict[store]
```

Q3.2 (2 points) Fill in blank (b).

```
current_gift == gift
```

Q3.3 (2 points) Fill in blank (c).

```
isinstance(current_gift, dict)
```

Q3.4 (2 points) Fill in blank (d).

```
search(current_gift)
```

Q3.5 (2 points) Fill in blanks (e.1) and (e.2):

```
return f"{store} -> {location}"
```

Q3.6 (2 points) Fill in blank (f).

```
search
```

Polly recently got a job interview for Ngoogle and needs to review some machine learning concepts. To do so, she created a class, Model, to help her prep. Read through the doctests and provided code to answer the following questions.

Note: Use the finished_learning method to check if Polly has more facts to learn for a topic (she only needs to learn 3 facts for each), instead of hard coding this functionality yourself.

```
1
   class Model:
      11 11 11
 2
 3
      >>> lin_reg = Model("Linear Regression")
 4
      >>> lin_reg.num_facts_learned
 5
 6
      >>> lin_reg.finished_learning()
 7
     False
 8
 9
     >>> for _ in range(3):
            lin_reg.learn()
10
11
      Fact: Linear Regression predicts a continuous numeric value.
12
      Fact: It assumes a roughly linear relationship between features and the target.
13
      Fact: A common loss function is Mean Squared Error.
      >>> lin_reg.num_facts_learned
14
15
16
17
      >>> lin_reg.learn()
      No more learning! Polly mastered Linear Regression.
18
19
      >>> lin_reg.finished_learning()
20
      True
21
      >>> lin_reg.learn()
22
      No more learning! Polly mastered Linear Regression.
23
24
      >>> dec_trees = Model("Decision Trees")
25
      >>> dec_trees.num_facts_learned
26
27
      >>> dec_trees.learn()
      Fact: A Decision Tree predicts by following a path of feature-based questions.
28
29
      >>> dec_trees.num_facts_learned
      1
30
      11 11 11
31
32
      def __init__(self, name):
33
        self.name = name
34
        self.num_facts_learned = ___(a)___
        # This is an iterator that returns 3 facts (strings) one at a time
35
        self.fact_iterator = # you do not need to know how this is implemented
36
37
38
      def finished_learning(self):
39
        return self.num_facts_learned == 3
```

SID: _____

```
def learn(self):
    """

Polly learns the next fact, if any remain.

"""

if ___(b)__:
    print(f"No more learning! Polly mastered {___(c)__}.")

else:
    print(f"Fact: {___(d)___}")
    ___(e)___
```

Q4.1 (1 point) Fill in blank (a).

```
0
```

Q4.2 (1 point) Fill in blank (b).

```
self.finished_learning()
```

Q4.3 (1 point) Fill in blank (c).

```
self.name
```

Q4.4 (2 points) Fill in blank (d).

```
next(self.fact_iterator)
```

Q4.5 (1 point) Fill in blank (e).

```
self.num_facts_learned += 1
```

When Polly tries to learn about neural networks her brain feels fried! Implement the NeuralNetwork class that inherits from Model and overrides the learn method.

Note: Your implementation must **avoid repetition** as much as possible.

```
1
   class NeuralNetwork(Model):
2
      11 11 11
3
     >>> neural net = NeuralNetwork("Neural Networks")
4
5
     >>> neural_net.learn()
6
     Fact: Neural Networks use layers of connected neurons.
7
8
     >>> neural_net.learn()
9
     Fact: Neural Networks can learn very complex patterns in data.
10
11
     >>> neural_net.learn()
     Fact: Neurons apply weights, bias, and an activation.
12
     Polly's brain feels fried.
13
14
15
     >>> neural_net.learn()
     No more learning! Polly mastered Neural Networks.
16
     Polly's brain feels fried.
17
18
     def learn(self):
19
        ___(f)___
20
        ___(g)___:
21
22
            print(___(h)___)
```

Q4.6 (2 points) Fill in blank (f).

```
super().learn()
```

Q4.7 (1 point) Fill in blank (g).

```
if self.finished_learning()
```

Q4.8 (1 point) Fill in blank (h).

```
"Polly's brain feels fried."
```

Q5 Zigzag Linked Lists 6


(12 points)

Your task is to implement the function number_to_zigzag, which takes in a non-negative integer num and **returns** a zigzagged Linked List with digits of num encoded within it in **reverse order**. In a zigzagged Linked List, each digit of the number is stored in a staggered structure: every node's rest attribute points to another Link whose first attribute holds the next node in the sequence (see the diagram).

Number

1234

Zigzag Linked List



Number	Zigzag Linked List
10	1
	0 -
Number	Zigzag Linked List
67	6
	7 -
Number	Zigzag Linked List
5	5

```
SID: _____
```

```
1
   def number_to_zigzag(num):
2
     """Takes a non-negative integer num and returns a zigzagged linked list
3
     of its digits in reverse order.
4
     >>> number_to_zigzag(1234)
     Link(4, Link(Link(3, Link(Link(2, Link(Link(1)))))))
5
6
     >>> number_to_zigzag(67)
7
     Link(7, Link(Link(6)))
     >>> number_to_zigzag(5)
8
9
     Link(5)
10
     >>> number_to_zigzag(10)
     Link(0, Link(Link(1)))
11
     .. .. ..
12
     if ___(a)___:
13
14
       return Link(num)
     last = ___(b)___
15
     smaller = number_to_zigzag(___(c)___)
16
17
     return Link(last, ___(d)___)
```

Q5.1 (1 point) Select all options that could fill in blank (a).

num < 10

□ num <= 10

 \prod num < 0

□ num <= 0

□ num == 0

Q5.2 (1 point) Fill in blank (b).

```
num % 10
```

Q5.3 (1 point) Fill in blank (c).

```
num // 10
```

Q5.4 (1 point) Fill in blank (d).

```
Link(smaller)
```

Next, implement the function sum_zigzag, which takes in a zigzagged Linked List and returns the sum of all digits stored in it.

```
1
   def sum_zigzag(zigzag):
2
      """Takes a zigzagged linked list and returns the sum of its digits.
     >>> zig = number_to_zigzag(12034)
3
4
     >>> sum_zigzag(zig)
5
     10
6
     >>> zag = number_to_zigzag(1)
7
     >>> sum_zigzag(zag)
8
     1
      11 11 11
9
      if ___(e)__:
10
        return 0
11
12
      if ___(f)___:
13
        return zigzag.first
14
      else:
15
        return ___(g)___
```

Q5.5 (3 points) Select all options that could fill in blank (e).

Hint: Be sure to check the reference sheets for the definition of the Link class.

- zigzag is Link.empty
- zigzag is not Link.empty
- not zigzag
- \prod len(zigzag) == 0
- not isinstance(zigzag, Link)
- isinstance(zigzag, Link)
- Q5.6 (2 points) Fill in blank (f).
 - zigzag == Link.empty
 - Ozigzag.first is Link.empty
 - zigzag.rest is Link.empty
 - O zigzag.rest is not Link.empty
 - () isinstance(zigzag.rest, Link)
- Q5.7 (3 points) Fill in blank (g).

```
zigzag.first + sum_zigzag(zigzag.rest.first)
```

Q6 Sadly, These Aren't Christmas Trees 🌲


(12 points)

Grace's favorite number is k, and she wants to count how many nodes in a tree t which have exactly k branches.


Maryam, however, wants to add her favorite number v to the tree while also ensuring that every node has exactly k branches. Implement count_add_k(t, k, v) which does both of the following:

- 1. **Returns** the number of nodes in the **original tree** t that have exactly k branches
- 2. **Mutates** t so that:
 - Any node with more than k branches keeps only its first k branches.
 - Any node with fewer than k branches adds leaves with value v until it has exactly k branches.

For example, with k = 2, the tree (t) below has *one* node with exactly k branches (the node with label 3).



After applying count_add_k(t, 2, 0), 1 is returned, and the tree is mutated to the Tree below. The nodes with dashed borders were added, and the branch containing the nodes 6 and 7 was removed.



```
1
    def count_add_k(t, k, v):
 2
 3
        Return how many nodes in the original tree t that have exactly k branches.
 4
        Also mutate t so that every node has exactly k branches.
 5
 6
        Note that t is the same tree shown in the diagram on the previous page.
 7
        >>> t = Tree(1, [Tree(2), Tree(3, [Tree(4), Tree(5)]), Tree(6, [Tree(7)])])
 8
 9
        >>> count_add_k(t, 2, 0)
10
        >>> t
11
12
        Tree(1, [
            Tree(2, [ Tree(0), Tree(0) ]),
13
            Tree(3, [
14
                Tree(4, [ Tree(0), Tree(0) ]),
15
                Tree(5, [ Tree(0), Tree(0) ])
16
17
            )
18
          ]
19
        )
20
        11 11 11
21
22
        if ___(a)___:
23
            count = 1
24
        else:
25
            count = 0
26
        for b in ___(b)___:
27
            count += ___(c)___
28
29
        if len(t.branches) > k:
30
            t.branches = ___(d)___
31
32
        while ___(e)__:
33
            ___(f)___
        return count
34
```

Q6.1 (2 points) Fill in blank (a).

```
len(t.branches) == k
```

Q6.2 (1 point) Fill in blank (b).

```
t.branches
```

Q6.3 (2 points) Fill in blank (c).

```
count_add_k(b, k, v)
```

SID:	
-	

Q6.4	(2 points) Select all	options	that could	fill in	blank ((d).
------	-----------	--------------	---------	------------	---------	---------	------

- t.branches[:k]
- ☐ t.branches[k:]
- ☐ t.branches[:]
- [t[i] for i in range(k)]
- [t.branches[i] for i in range(k)]
- Q6.5 (2 points) Fill in blank (e).

```
len(t.branches) < k</pre>
```

Q6.6 (2 points) Fill in blank (f).

```
t.branches.append(Tree(v))
```

- Q6.7 (1 point) What is the runtime of $count_add_k$, given the input n is the number of nodes in the tree? (Assume that the value of k is negligible compared to n, e.g. treat k like a small constant.)
 - O(1)
 - $\bigcap O(\log(n))$
 - \bigcirc O(n)
 - $\bigcirc O(n^2)$
 - $\bigcirc O(2^n)$

Solution: The function visits each node of the tree exactly once during the recursive call, performing a constant amount of work per node (O(k)) work in the worst case scenario if we only keep the first k nodes or add k nodes).

Since no node is revisited after mutation, the total time is proportional to the number of nodes, which is a runtime of O(n).

SID: _____

Q7 LinkIterator (10 points)

In C88C, the implementation of the Link class is not iterable. To allow us to iterate through linked lists easily, you decide to make our Link class iterable!

Below is the updated Link class. It now has an __iter__ method, which returns a LinkIterator object.

```
class Link:
2
        empty = ()
3
4
       def __init__(self, first, rest=empty):
5
            assert rest is Link.empty or isinstance(rest, Link)
6
            self.first = first
7
            self.rest = rest
8
9
       def __iter__(self):
10
            return LinkIterator(self)
```

Implement the LinkIterator class, so that you can use a for loop to iterate over all elements of a linked list without manually accessing first and rest.

```
class LinkIterator:
1
2
3
     >>> lnk = Link(1, Link(2, Link(3)))
     >>> for lnk in lnk:
4
5
              print(lnk)
6
      1
7
     2
8
     3
9
       def __init__(self, link):
10
11
            self.current = link
12
       def __iter__(self):
13
            ___(a)___
14
15
       def __next__(self):
16
17
            if ___(b)___:
                raise StopIteration
18
            value = ___(c)___
19
            self.current = ___(d)___
20
21
            ___(e)___
```

Q7.1 (1 point) Fill in blank (a).

- O yield self
- return self
- return iter(self)

Q7.2 (2 points) Fill in blank (b).

```
self.current is Link.empty
```

Q7.3 (1 point) Fill in blank (c).

```
self.current.first
```

Q7.4 (1 point) Fill in blank (d).

```
self.current.rest
```

Q7.5 (1 point) Fill in blank (e).

```
return value
```

- Q7.6 (2 points) Assuming the Link class has been updated correctly, given the linked list: lnk = Link(1, Link(2, Link(3))), select all following statements that are true.
 - ☐ lnk is an iterator
 - lnk is an iterable
 - iter(lnk) returns an iterator object that can be used with next
 - ☐ You can call next(lnk) to get the first element of lnk
- Q7.7 (2 points) Assume that LinkIterator has been implemented correctly. Select the sequence of function calls that will output 1 then 3.

```
gen = odd_gen(lnk)
next(gen)
next(gen)
```

- odd_gen(lnk)
 next(odd_gen)
 next(odd_gen)
- iter = iter(lnk)
 next(iter)
 next(iter)
- O None of the above

Recall that SQL is a *declarative* programming language, which means that the programmer describes the output they want rather than a series of steps to achieve that output. Rebecca has implemented some basic SQL functionality in Python, but she needs your help to fix a bug!

The Row class (which has **no bugs**) represents the data in a single row of a Table. For example:

```
>>> columns = ['english_word', 'spanish_word']
>>> values = ['hello', 'hola']
>>> row = Row(columns, values)
>>> row['english_word']
'hello'
>>> row['spanish_word']
'hola'
```

The Table class represents a SQL table made up of 1 or more rows. Any code for this class that is not necessary for the problem has been omitted and you should assume it works properly.

The __init__ method (which has **no bugs**) takes in a list of column names called columns and a 2D list of row_values to create a Table instance:

```
def __init__(self, columns: list[str], row_values: list):
1
2
3
     >>> columns = ['actor', 'character', 'tv_show']
4
     >>> row_values = [
              ['Ella Purnell', 'Jinx', 'Arcane'],
5
6
              ['Ella Purnell', 'Lucy MacLean', 'Fallout'],
7
              ['Hailee Steinfeld', 'Vi', 'Arcane'],
              ['Hailee Steinfeld', 'Kate Bishop', 'Hawkeye'],
8
              ['Pedro Pascal', 'Joel Miller', 'The Last of Us'],
9
              ['Caleb McLaughlin', 'Lucas Sinclair', 'Stranger Things'],
10
11
     >>> characters = Table(columns, row_values)
12
     11 11 11
13
14
     self.columns = columns
     self.rows = [ Row(columns, values) for values in row_values ]
15
```

The select method (which has **no bugs**) takes in a list of column names called columns and returns a new Table which is equivalent to performing a SELECT ... FROM ... statement in SQL. For example, characters.select(['actor', 'character']) is equivalent to SELECT actor, character FROM characters;

The **buggy** select_where method takes in a list of column names and a one-argument function predicate which takes in a Row object and returns True if that row should be included in the output and False otherwise. This is equivalent to performing a SELECT ... FROM ... WHERE ... statement in SQL.

```
SID: _____
```

```
def select_where(self, columns: list[str], predicate):
1
2
3
     Doctest below is equivalent to:
4
     SELECT actor, character FROM characters WHERE actor = 'Ella Purnell';
5
6
     >>> characters.select_where(
7
            ['actor', 'character'],
            lambda row: row['actor'] == 'Ella Purnell'
8
9
      ...)
10
     actor | character
11
12
     Ella Purnell | Jinx
     Ella Purnell | Lucy MacLean
13
14
15
     selected_table = self.select(columns)
     filtered_row_values = []
16
17
     for row in selected_table.rows:
18
          if predicate(row):
19
              filtered_row_values.append([row[col] for col in columns])
20
     filtered_table = Table(columns, filtered_row_values)
21
     return filtered_table
```

Q8.1 (2 points) Suppose we are working with the characters table defined above. What is the equivalent SQL statement for:

```
characters.select_where(['character'], lambda row: 'Pedro' in row['actor'])
```

- SELECT character FROM characters WHERE actor = 'Pedro';
- SELECT character FROM characters WHERE actor LIKE '%Pedro%';
- O SELECT character FROM characters WHERE actor LIKE 'Pedro%';
- O SELECT character FROM characters WHERE 'Pedro' IN actor;

Q8.2 (2 points) Suppose we are working with the characters table defined above. Which of the following will cause an error with the buggy implementation of Table? Select all that apply.

```
characters.select_where(
    ['actor'],
    lambda row: 'Pedro' in row['actor']
)

characters.select_where(
    ['actor', 'tv_show'],
    lambda row: 'Caleb' in row['actor'] or 'Hawkeye' == row['tv_show']
)

characters.select_where(
    ['actor', 'tv_show'],
    lambda row: len(row['character']) > 4
)
```

O None of the above

Solution: See the answer to Q8.3. The bug will cause an error whenever we include columns that are not selected in the predicate function, because we perform the select method first which will get rid of all other columns besides the ones in the columns list.

Q8.3 (4 points) Describe the bug in the select_where method in 1-2 sentences. You do not need to propose a fix nor do you need to provide line numbers, unless it helps clarify your explanation.

The select_where method has the wrong order of execution for SQL statements. It performs the SELECT clause first and then filters rows using WHERE, but this could possibly cause columns to be removed from the table that are needed when filtering.

Q8.4 (2 points) Consider just this part of the buggy select_where method:

```
filtered_row_values = []
for row in selected_table.rows:
    if predicate(row):
        filtered_row_values.append([row[col] for col in columns])
```

Let c be the number of columns in the table and r be the number of rows in the table. Assume that the predicate function and append method each take O(1) time. What is the (worst-case) runtime of the code snippet above?

$\bigcirc O(1)$	$\bigcirc O(r)$
$igcirc$ $O(\log(c))$	
$igcirc O(\log(r))$	$\bigcirc \ O(c^2)$
$\bigcirc O(c)$	$igcirc$ $O(r^2)$

Solution: Defining an empty list takes O(1) time. The outer for loop which iterates over each row runs O(r) times. The predicate function and append method both take O(1) time, as stated in the problem. The inner for loop is the one inside the list comprehension, which runs O(c) times. As a result, the total runtime is however many times the outer loop runs times however much time the inner loop takes, which is O(r) * O(c) = O(cr).

(14 points)

It's the start of apartment hunting season at Berkeley, and members of C88C staff are struggling to find apartment-mates for next year. Dhruv and Reema want to use SQL to identify everyone's preferences. The tables in use are described below and all of their data is shown below.

staff: contains a unique id (string) for every person, their name (string), preferred location (string), whether they want a single or double room (boolean, TRUE if they want a single or FALSE if they want a double), budget (integer), and in_state status (boolean, TRUE if they are an in-state student or FALSE if they are an out-of-state student).

id	name	location	single	budget	in_state
SD57	Dhruv	Downtown	FALSE	2000	FALSE
SA13	Reema	North	TRUE	1150	TRUE
DM51	Mike Baller	San Francisco	TRUE	3000	TRUE
SA17	Cynthia	South	FALSE	1000	TRUE
GA13	Mira	South	TRUE	1200	TRUE
YS20	Alicia	Downtown	TRUE	1100	FALSE
BD28	Grace B	South	TRUE	1300	TRUE
BK28	Orazaly	North	TRUE	1100	FALSE
PV12	Thompson	South	FALSE	1300	FALSE
SM21	Isabelle	South	FALSE	1000	TRUE
SG53	Maryam	North	FALSE	2000	TRUE
KH39	Grace X	Downtown	FALSE	1900	FALSE
PM31	Rebecca	Downtown	FALSE	2500	TRUE

apartments: records each potential housing option with columns rent (integer), location (string), option for single room (TRUE means they have single rooms and FALSE means they have double rooms), and distance, in miles, to campus (float).

name	rent	location	single	distance
Dwight	2000	Downtown	FALSE	0.9
Identity	900	Downtown	TRUE	0.8
Standard	1400	South	FALSE	0.2
Modera	1300	North	FALSE	0.6
Hillside	1200	North	TRUE	0.7
Den	1500	South	FALSE	0.3
Edgewater	2500	San Francisco	FALSE	13.9
NEMA	2800	San Francisco	TRUE	11.7
Blake	1200	Downtown	TRUE	1.0
Panoramic	1100	South	FALSE	0.5
Hearst	800	North	TRUE	0.6
Berk	1000	South	TRUE	0.5

SID:	

Q9.1 (2 points) Which column in the staff table would preserve the original number of rows when used in a GROUP BY clause? Select all that apply and consider each answer option independently, e.g. there is only 1 column in each hypothetical GROUP BY clause.

id	\square location	☐ budget
name	single	☐ in_state

Q9.2 (1 point) Select the statement to complete the query below to correctly return all apartments that contain the letter "a" anywhere in their name.

1	SELECT *	FROM	apartments	WHERE	;
	name	LIKE	'%a%'		O name LIKE '_a_'
	O name	LIKE	'%a'		○ name LIKE '_a'
	O name	LIKE	'a%'		O name LIKE 'a_'

Q9.3 - Q9.9 (8 points) Dhruv and Reema want to write a SQL query to identify all staff who have a potential apartment option, given the following criteria:

- 1. The staff member's location and the apartment's location are the same.
- 2. The staff member's room preference (single) and the apartment's room options (single) are the same.
- 3. The apartment's rent must be less than or equal to the staff member's budget.

Your query should return the following columns: staff_name, in_state, apartment_name, budget_surplus (calculated as the difference between a staff member's budget and the apartment's rent). The staff_name column should be in alphabetical order, and, for each person, the budget_surplus is ordered from largest to smallest.

The resulting table should look like the one below.

staff_name	in_state	apartment_name	budget_surplus
Alicia	FALSE	Identity	200
Dhruv	FALSE	Dwight	0
Grace B	TRUE	Berk	300
Grace X	FALSE	Identity	1000
Grace X	FALSE	Blake	700
Maryam	TRUE	Modera	700
Mike Baller	TRUE	NEMA	200
Mira	TRUE	Berk	200
Orazaly	FALSE	Hearst	300
Rebecca	TRUE	Dwight	500
Reema	TRUE	Hearst	350
Thompson	FALSE	Panoramic	200

```
SID: _____
```

```
1
    SELECT
2
      s.name AS staff_name,
3
      s.in_state AS in_state,
4
      a.name AS apartment_name,
5
      s.budget - a.rent AS budget_surplus
    FROM staff AS s
6
7
    JOIN apartments AS a
8
    ON <u>s.location</u> = <u>a.location</u> AND <u>s.single</u> = <u>a.single</u>
    WHERE <u>s.budget - a.rent >= 0</u>
10
    ORDER BY staff_name ASC, budget_surplus DESC;
```

Solution: Note that the conditions in Q9.5 - Q9.7 could be in any order. Additionally, the condition for Q9.7 could alternatively be written as s.budget >= a.rent or a.rent <= s.budget.

Assume the previous query is correct and the output table is stored as preferred.

The evil landlord twins, Arnav and Arvind, decide to increase everyone's rent! With this new policy, each staffer's <code>budget_surplus</code> should now be reduced to 98% of its original value. Return a table that computes the average budget surplus for in-state and out-of-state staffers after the rent increase.

The expected output is shown below.

in_state	average_budget_surplus
FALSE	392
TRUE	367.5

```
SELECT in_state, ____(a)____(b)___) AS average_budget_surplus
FROM preferred
GROUP BY in_state;
```

Q9.10 (1 point) Fill in blank (a).

```
AVG
```

Q9.11 (2 points) Fill in blank (b).

```
budget_surplus * 0.98
```

Just for fun!		(0 points
Draw something fun, or write a message for	the staff!	

SID: _____