



Mutation

David E. Culler

CS88 – Computational Structures in Data Science

<http://inst.eecs.berkeley.edu/~cs88>

Lecture 8

March 14, 2016



Computational Concepts Toolbox

- Data type: values, literals, operations,
- Expressions, Call expression
- Variables
- Assignment Statement
- Sequences: tuple, list
- **Dictionaries**
- Data structures
- Tuple assignment
- Function Definition Statement
- Conditional Statement
- Iteration: list comp, for, while
- **Lambda function expr.**
- Higher Order Functions
 - Functions as Values
 - Functions with functions as argument
 - Assignment of function values
- Higher order function patterns
 - Map, Filter, Reduce
- Function factories – create and return functions
- Recursion
 - Linear, Tail, Tree
- **Abstract Data Types**



2/22/16

UCB CS88 Sp16 L4

2

Objects



- Objects represent information
- Consist of data and behavior, bundled together to create abstractions
 - Abstract Data Types
- They can have state
 - mutable vs immutable
- Object-oriented programming
 - A methodology for organizing large programs
 - So important it is supported in the language (classes)
- In Python, every value is an object
 - All **objects** have **attributes**
 - Manipulation happens through **methods**
- Functions do one thing (well)
 - Object do a collection of related things

Administrative Issues

- Spring Break is next week !!!
- Maps project part I due today
 - Problems 0-6
 - Raise outstanding questions in lab
- Maps project part II due 3/30
- Lab06 is lighter, but due 3/18 (before break)
- HW05 is lighter, but due 3/28
- Midterm “breakthrough” opportunity
 - Offer to average midterm with retake (after break)
 - Must spend 1 hour with class staff working old MT this week
 - Tu 11-3 (tomorrow) with me, or during staff office hours



Review: Dictionaries – by example



• Constructors:

- `dict(hi=32, lo=17)`
- `dict([('hi',212),('lo',32),(17,3)])`
- `{'x':1, 'y':2, 3:4}`
- `{wd:len(wd) for wd in "The quick brown fox".split()}`

• Selectors:

- `water['lo']`
- `<dict>.keys(), .items(), .values()`
- `<dict>.get(key [, default])`

• Operations:

- `in, not in, len, min, max`
- `'lo' in water`

• Mutators

- `water['lo'] = 33`

2/22/16

UCB CS88 Sp16 L4

5

2/22/16

UCB CS88 Sp16 L4

6

Dictionaries demo



```
>>> phonebook["Lydia Lu"]
'707-341-1254'
>>> friends["Lydia Lu"]
KeyError: 'Lydia Lu'
>>> [1,2,3,4,5][7]
IndexError: list index out of range
>>> "Casey Casem" in friends
True
>>> friends["Lydia Lu"] if "Lydia Lu" in friends else "No key"
'No key'
>>> friends.get("Lydia Lu", "No key")
'No key'
>>> {x:y for (x,y) in friends}
ValueError: too many values to unpack (expected 2)
>>> {x:y for x,y in friends.items()}

>>> {name:[phonebook[friend] for friend in friend_list] for
name,friend_list in friends.items()}
```

Dictionaries demo



```
>>> phonebook = {"Christine Strauch": "510-842-9235",
...      "Frances Catal Buloan": "932-567-3241",
...      "Jack Chow": "617-547-0923",
...      "Joy De Rosario": "310-912-6483",
...      "Casey Casem": "415-432-9292",
...      "Lydia Lu": "707-341-1254"}
friends = dict(
...      [("Casey Casem", ['Christine Strauch', 'Jack Chow']),
...       ("Christine Strauch", ['Jack Chow', 'Lydia Lu']),
...       ("Frances Catal Buloan", ['Jack Chow']),
...       ("Jack Chow", ['Christine Strauch', 'Frances Catal
Buloan']),
...       ("Joy De Lydia", ['Jack Chow']),
...       ("Joy De Rosario", ['Lydia Lu'])])
```

2/22/16

UCB CS88 Sp16 L4

7

2/22/16

UCB CS88 Sp16 L4

8

lambda



• Function expression

- “anonymous” function creation
- Expression, not a statement, no return or any other statement

```
lambda <arg or arg_tuple> : <expression using args>
```

```
inc = lambda v : v + 1
```

```
def inc(v):
    return v + 1
```

```
msort(friends.items(), lambda x:-len(x[1]))
```

C.O.R.E concepts

Abstract Data Type

Compute

Perform useful computations treating objects abstractly as whole values and operating on them.

Operations


Provide operations on the abstract components that allow ease of use – independent of concrete representation.

Representation

Constructors and selectors that provide an abstract interface to a concrete representation

Evaluation

Execution on a computing machine



2/22/16

UCB CS88 Sp16 L4

9



Creating an Abstract Data Type

Operations

- Express the behavior of objects, invariants, etc
- Implemented (abstractly) in terms of Constructors and Selectors for the object

Representation

- Constructors & Selectors
- Implement the structure of the object

- An **abstraction barrier violation** occurs when a part of the program that can use the higher level functions uses lower level ones instead
 - At either layer of abstraction

- Abstraction barriers make programs easier to get right, maintain, and modify
 - Few changes when representation changes

2/22/16

UCB CS88 Sp16 L4

10

Mutability



- **Immutable** – the value of the object cannot be changed
 - integers, floats, booleans
 - strings, tuples

- **Mutable** – the value of the object
 - Lists
 - Dictionaries

```
>>> alist = [1,2,3,4]
>>> alist
[1, 2, 3, 4]
>>> alist[2]
3
>>> alist[2] = 'elephant'
>>> alist
[1, 2, 'elephant', 4]
```

```
>>> adict = {'a':1, 'b':2}
>>> adict
{'b': 2, 'a': 1}
>>> adict['b']
2
>>> adict['b'] = 42
>>> adict['c'] = 'elephant'
>>> adict
{'b': 42, 'c': 'elephant', 'a': 1}
```

Are these ‘mutation’ ?

```
def sum(seq):
    psum = 0
    for x in seq:
        psum = psum + x
    return psum

def reverse(seq):
    rev = []
    for x in seq:
        rev = [x] + rev
    return rev
```

2/22/16 UCB CS88 Sp16 L4

11 12

2/22/16

UCB CS88 Sp16 L4

11






From value to storage ...

- A variable assigned a compound value (object) is a **reference** to that object.
- Mutable object can be changed but the variable(s) still refer to it

```
x = [1, 2, 3]
y = 6
x[1] = y
x[1]
```



2/22/16

UCB CS88 Sp16 L4


13

2/22/16

UCB CS88 Sp16 L4

14

Sharing



2/22/16

UCB CS88 Sp16 L4

15

Mutation makes sharing visible

```
def grid_play(grid, x, y):
    """Return new grid with x,y position set to 1."""
    n = len(grid)
    return [grid[i] if i != x
            else [grid[i][j] if j != y else 1
                  for j in range(n)]
            for i in range(n)]
```

```
>>> grid = [[0,0,0,0]]*4
>>> grid_play(grid, 1, 2)
[[0, 0, 0, 0], [0, 0, 1, 0], [0, 0, 0, 0], [0, 0, 0, 0]]
```

```
def grid_mplay(grid, x, y):
    grid[x][y] = 1
    return grid
```

```
>>> grid = [[0,0,0,0]]*4
>>> grid_mplay(grid, 1, 2)
[[0, 0, 1, 0], [0, 0, 1, 0], [0, 0, 1, 0], [0, 0, 1, 0]]
```



Copies, 'is' and '=='

```
>>> alist = [1, 2, 3, 4]
>>> alist == [1, 2, 3, 4] # Equal values?
True
>>> alist is [1, 2, 3, 4] # same object?
False
>>> blist = alist          # assignment refers
>>> alist is blist         # to same object
True
>>> blist = list(alist)    # type constructors copy
>>> blist is alist
False
>>> blist = alist[ : ]     # so does slicing
>>> blist is alist
False
>>> blist
[1, 2, 3, 4]
>>>
```

16

Creating mutating ‘functions’



- Pure functions have *referential transparency*
- Result value depends only on the inputs
 - Same inputs, same result value
- Functions that use global variables are not pure
- Higher order function returns embody state
- They can be “mutating”

```
>>> counter = -1
>>> def count_fun():
...     global counter
...     counter += 1
...     return counter
...
>>> count_fun()
0
>>> count_fun()
1
```

2/22/16

UCB CS88 Sp16 L4

17

Creating mutating ‘functions’



```
>>> def make_counter():
...     counter = -1
...     def counts():
...         nonlocal counter
...         counter += 1
...         return counter
...     return counts
...
>>> counter = -1
>>> def count_fun():
...     global counter
...     counter += 1
...     return counter
...
>>> count_fun()
0
>>> count_fun()
1
>>> nother_one = make_counter()
>>> nother_one()
0
>>> count_fun()
2
```

2/22/16

UCB CS88 Sp16 L4

18

Creating mutable objects



- Follow the ADT methodology, but enclose state within the abstraction

Useless bank account



```
def account(name, initial_deposit):
    return (name, initial_deposit)

def account_name(acct):
    return acct[0]

def account_balance(acct):
    return acct[1]

def deposit(acct, amount):
    return (acct[0], acct[1]+amount)

def withdraw(acct, amount):
    return (acct[0], acct[1]-amount)
```

2/22/16

UCB CS88 Sp16 L4

20

2/22/16

UCB CS88 Sp16 L4

19

```
>>> my_acct = account('David Culler', 175)
>>> my_acct
('David Culler', 175)
>>> deposit(my_acct, 35)
('David Culler', 210)
>>> account_balance(my_acct)
175
```



Bank account using dict

```
def account(name, initial_deposit):
    return {'Name' : name, 'Number': 0,
            'Balance' : initial_deposit}

def account_name(acct):
    return acct['Name']

def account_balance(acct):
    return acct['Balance']

def deposit(acct, amount):
    acct['Balance'] += amount
    return acct['Balance']

def withdraw(acct, amount):
    acct['Balance'] -= amount
    return acct['Balance']

>>> my_acct = account('David Culler', 93)
>>> account_balance(my_acct)
93
>>> deposit(my_acct, 100)
193
>>> account_balance(my_acct)
193
>>> withdraw(my_acct, 10)
183
>>> account_balance(my_acct)
183
>>> your_acct = account("Fred Jones",0)
>>> deposit(your_acct, 75)
75
>>> account_balance(my_acct)
183
```

2/22/16

UCB CS88 Sp16 L4

21



State for a class of objects

```
account_number_seed = 1000
def account(name, initial_deposit):
    global account_number_seed
    account_number_seed += 1
    return {'Name' : name, 'Number': account_number_seed,
            'Balance' : initial_deposit}

def account_name(acct):
    return acct['Name']

def account_balance(acct):
    return acct['Balance']

def account_number(acct):
    return acct['Number']

def deposit(acct, amount):
    acct['Balance'] += amount
    return acct['Balance']

def withdraw(acct, amount):
    acct['Balance'] -= amount
    return acct['Balance']

>>> my_acct = account('David Culler', 100)
>>> my_acct
{'Name': 'David Culler', 'Balance': 100, 'Number': 1001}
>>> account_number(my_acct)
1001
>>> your_acct = account("Fred Jones", 475)
>>> account_number(your_acct)
1002
>>>
```

2/22/16

UCB CS88 Sp16 L4

22



Hiding the object inside

```
account_number_seed = 1000
accounts = []

def account(name, initial_deposit):
    global account_number_seed
    global accounts
    account_number_seed += 1
    new_account = {'Name' : name, 'Number': account_number_seed,
                  'Balance' : initial_deposit}
    accounts.append(new_account)
    return len(accounts)-1

def account_name(acct):
    return accounts[acct]['Name']

def deposit(acct, amount):
    account = accounts[acct]
    account['Balance'] += amount
    return account['Balance']

def account_by_number(number):
    for account, index in zip(accounts,range(len(accounts))):
        if account['Number'] == number:
            return index
    return -1
```

2/22/16

UCB CS88 Sp16 L4

23



Hiding the object inside

```
>>> my_acct = account('David Culler', 100)
>>> my_acct
0
>>> account_number(my_acct)
1001
>>> your_acct = account("Fred Jones", 475)
>>> accounts
[{'Name': 'David Culler', 'Balance': 100, 'Number': 1001},
 {'Name': 'Fred Jones', 'Balance': 475, 'Number': 1002}]
>>> account_by_number(1001)
0
>>> account_name(account_by_number(1001))
'David Culler'
>>> your_acct
1
>>> account_name(your_acct)
'Fred Jones'
>>>
```

2/22/16

UCB CS88 Sp16 L4

24

Hazard Beware



```
def remove_account(acct):
    global accounts
    accounts = accounts[0:acct] + accounts[acct+1:]

>>> my_acct = account('David Culler', 100)
>>> your_acct = account("Fred Jones", 475)
>>> nother_acct = account("Wilma Flintstone", 999)
>>> account_name(your_acct)
'Fred Jones'
>>> remove_account(my_acct)
>>> account_name(your_acct)
'Wilma Flintstone'
>>>
```

A better way ...



```
account_number_seed = 1000
accounts = []

def account(name, initial_deposit):
    global account_number_seed
    global accounts
    account_number_seed += 1
    new_account = {'Name': name, 'Number': account_number_seed,
                   'Balance': initial_deposit}
    accounts.append(new_account)
    return account_number_seed

def _get_account(number):
    for account in accounts:
        if account['Number'] == number:
            return account
    return None

def account_name(acct):
    return _get_account(acct)['Name']
. . .
```

2/22/16

UCB CS88 Sp16 L4

25

2/22/16

UCB CS88 Sp16 L4

26

A better way ...



```
account_number_see >>> my_acct = account('David Culler', 100)
accounts = []      >>> your_acct = account("Fred Jones", 475)
def account(name,   >>> nother_acct = account("Wilma
    global account Flintstone", 999)
    global account >>> account_name(your_acct)
    account_number 'Fred Jones'
    new_account = >>> remove_account(my_acct)
    >>> account_name(your_acct)
    accounts.append 'Fred Jones'
    return account >>> your_acct
def _get_account(n 1002
    for account in accounts:
        if account['Number'] == number:
            return account
    return None

def account_name(acct):
    return _get_account(acct)['Name']
. . .
```

2/22/16

UCB CS88 Sp16 L4

27