

# Computational Structures in Data Science

---

## Lecture: Dictionaries and Mutable Data

Berkeley  
UNIVERSITY OF CALIFORNIA

# Computational Structures in Data Science

---

## Environments Wrap Up

Berkeley  
UNIVERSITY OF CALIFORNIA

# Announcements

- <https://go.c88c.org/8> - Self-Check
- <https://go.c88c.org/qa8> - Ed Thread

Bonus Self-Checks:

<https://www.gradescope.com/courses/1227776/assignments/7472102/> - Lambdas

# Python Tutor Example #2

```
def make_adder(n):  
    def adder(k):  
        return k + n  
    return adder
```

```
n = 10  
add_2 = make_adder(2)  
x = add_2(5)
```

# Python Tutor Example #3

```
add_2 = make_adder(2)
add_3 = make_adder(3)

x = add_2(2)
def compose(f, g):
    def h(x):
        return f(g(x))
    return h
add_5 = compose(add_2, add_3)
z = add_5(x)
```

# Demo

Example 1:

- [make\\_adder Higher Order Function: Environment Diagram Python Tutor Link](#)

Example 2:

- [Primitives and Functions: Environment Diagram Python Tutor:](#)

Example 3:

- [Compose Python Tutor Link](#)

# Computational Structures in Data Science

---

## Dictionaries

Berkeley  
UNIVERSITY OF CALIFORNIA

# Learning Objectives

- Dictionaries are a new type in Python
- Lists let us index a value by a number, or position.
- Dictionaries let us index data by other kinds of data.

# Dictionaries

- Constructors:

- `dict( <list of 2-tuples> )`
- `dict( <key>=<val>, ... )` # like kwargs
- `{ <key exp>:<val exp>, ... }`
- `{ <key>:<val> for <iteration expression> }`
  - `>>> {x:y for x,y in zip(["a","b"],[1,2])}`
  - `{'a': 1, 'b': 2}`

- Selectors: **<dict>[ <key> ]**

- `<dict>.keys(), .items(), .values()`
- `<dict>.get(key [, default] )`

- Operations:

- Key in, not in, len, min, max
- `<dict>[ <key> ] = <val>`

# Demo

```
person = { 'name': 'Michael' }  
person.get('name')  
person['email'] = 'ball@berkeley.edu'  
person.keys()  
'phone' in person  
  
text = 'One upon a time'  
{ word : len(word) for word in text.split() }
```

# Computational Structures in Data Science

---

Mutability

Berkeley  
UNIVERSITY OF CALIFORNIA

# Learning Objectives

- Distinguish between when a function mutates data, or returns a new object
  - Many Python "default" functions return new objects
- Understand modifying objects in place
- Python provides "is" and "==" for checking if items are the same, in different ways

# Why does Mutability Matter?

- Mutable data is a reality — lists, dictionaries, objects (coming soon)
- It's a challenging aspect of programming
- There are common patterns, which you will *slowly* become familiar with and internalize.
- Use your environment diagrams!

# Objects in Python

- An **object** is a bundle of data and behavior.
- A type of object is called a **class**.
- Every value in Python is an object.
  - string, list, int, tuple, et
- All objects have attributes
- Objects often have associated methods
  - `lst.append()`, `lst.extend()`, etc
- **Objects have a value (or values)**
  - Mutable: We can change the object after it has been created
  - Immutable: We cannot change the object.
- Objects have an *identity*, a reference to that object.

# Immutable Object: string

- `course = 'CS88'`
- What kind of object is it?
  - `type(course)`
- What data is inside it?
  - `course[0]`
  - `course[2:]`
- What methods can we call?
  - `course.upper()`
  - `course.lower()`
- None of these methods modify our original string.

# Mutable Objects: lists and dictionaries

- Immutable – the value of the object cannot be changed
  - integers, floats, booleans
  - strings, tuples
- Mutable – the value of the object can change
  - Lists
  - Dictionaries

```
>>> alist = [1,2,3,4]
>>> alist
[1, 2, 3, 4]
>>> alist[2]
3
>>> alist[2] = 'elephant'
>>> alist
[1, 2, 'elephant', 4]
```

```
>>> adict = {'a':1, 'b':2}
>>> adict
{'b': 2, 'a': 1}
>>> adict['b']
2
>>> adict['b'] = 42
>>> adict['c'] = 'elephant'
>>> adict
{'b': 42, 'c': 'elephant', 'a':
1}
```

# Dictionaries

## Constructors:

```
dict( hi=32, lo=17)
dict([('hi',212),('lo',32),(17,3)])
{'x':1, 'y':2, 3:4}
{wd : len(wd) for wd in "The quick brown fox".split()}
```

## Selectors:

```
<dict_name>['lo']
<dict_name>.keys(), .items(), .values()
<dict_name>.get(key [, default]) # can return default if key not found
```

## Operations:

```
in, not in, len, min, max
Example: 'name' in course
```

## Mutators

```
course['number'] = 'C88C'
course.pop('room')
del course['room']
```

# Immutability vs Mutability

- An immutable value is unchanging once created.
- Immutable types (that we've covered): int, float, string, tuple

```
a_string = "Hi y'all"  
a_string[1] = "I" # ERROR  
a_string += ", how you doing?" # creates a new object  
an_int = 20  
an_int += 2
```


- A mutable value can change in value throughout the course of computation. All names that refer to the same object are affected by a mutation.
- Mutable types (that we've covered): list, dict

```
grades = [90, 70, 85]  
grades_copy = grades # Not actually a copy!  
grades[1] = 100 # grades_copy changes too!  
words = {"agua": "water"}  
words["pavo"] = "turkey"
```

# Mutation in Environments

- A variable assigned a compound value (object) is a reference to that object.
- Mutable objects can be changed but the variable(s) still refer to it
  - x is still the same object, but its values have changed.

```
x = [1, 2, 3]
y = 6
x[1] = y
x[1]
```



# Mutating Lists: Example functions of the `list` class

- `append()` adds a single element to a list:

```
s = [2, 3]
t = [5, 6]
s.append(4)
s.append(t)
t.append(7)
t = 0
```

[Try in PythonTutor.](#)

- `extend()` adds all the elements in one list to another list:

```
s = [2, 3]
t = [5, 6]
s.extend(4) #  Error: 4 is not an iterable!
s.extend(t)
t = 0
```

[Try in PythonTutor.](#) (After deleting the bad line)

# Mutating Lists -- More Functions!

- `list += [x, y, z]` # just like `extend`.
  - [You need to be careful with this one!](#) It modifies the list.
- `pop()` removes and returns the last element:

```
s = [2, 3]
```

```
t = [5, 6]
```

```
t = s.pop()
```

[Try in PythonTutor.](#)

- `remove()` removes the first element equal to the argument:

```
s = [6, 2, 4, 8, 4]
```

```
s.remove(4)
```

[Try in PythonTutor.](#)

# Python Tutor: Assignments Are References

Python 3.6

```
1 x = 2
2 y = 3
3 print(x+y)
4 x = 4
→ 5 print(x+y)
```

[Edit this code](#)

Print output (drag lower right corner to resize)

```
5
7
```

Frames

Objects

Global frame

x	4
y	3

Python 3.6

```
1 x = [1, 2, 3]
2 y = x
3 print(y)
4 x[1] = 11
→ 5 print(y)
```

[Edit this code](#)

Print output (drag lower right corner to resize)

```
[1, 2, 3]
[1, 11, 3]
```

Frames

Objects

Global frame

x	→
y	→

list

0	1	2
1	11	3

# Mutable Data Inside Immutable Objects

- Mutable objects can "live" inside immutable objects!
- An immutable sequence may still change if it contains a mutable value as an element.
- Be **very careful**, and probably **do not** do this!

```
t = (1, [2, 3])
```

```
t[1][0] = 99
```

```
t[1][1] = "Problems"
```

- [Try in PythonTutor](#)

# Equality vs Identity

```
list1 = [1,2,3]
```

```
list2 = [1,2,3]
```

- **Equality:** `exp0 == exp1`  
evaluates to True if both `exp0` and `exp1` evaluate to objects containing equal values (Each object can define what `==` means)

```
list1 == list2 # True
```

- **Identity:** `exp0 is exp1`  
evaluates to True if both `exp0` and `exp1` evaluate to the same object
- Identical objects always have equal values.

```
list1 is list2 # False
```

- [Try in PythonTutor.](#)

# Identity and == vs is

How do we know if two names (variables) are the same exact object? i.e. Will modifying one modify the other?

```
>>> alist = [1, 2, 3, 4]
>>> alist == [1, 2, 3, 4] # Equal values?
True
>>> alist is [1, 2, 3, 4] # same object?
False
>>> blist = alist # assignment refers
>>> alist is blist # to same object
True
>>> blist = list(alist) # list() returns a new object (a copy)
>>> blist is alist
False
>>> blist = alist[ : ] # so does slicing
>>> blist is alist
False
>>> blist
[1, 2, 3, 4]
>>>
```

# What is the meaning of `is`?

- `is` in Python means two items have the exact same *identity*
- Thus, `a is b` implies `a == b`
- **Why?** Each object has a function `id()` which returns its "address"
  - We won't get into what this means, but it's essentially an internal "locator" for that data in memory.
  - Think of two houses which have the exact same floor plan, look the same, etc. They are "the same house" but each has a unique address. (And thus are different houses)
- Think this is tricky? cool? amazing?
- Take CS61C (Architecture) and CS164 (Programming Languages)

# Computational Structures in Data Science

---

## Passing Data Into Functions

Berkeley  
UNIVERSITY OF CALIFORNIA

# Learning Objectives

- Passing in a mutable object in a function in Python lets you modify that object
- Immutable objects don't change when passed in as an argument
- Making a new name doesn't affect the value outside the function
- Modifying mutable data **does** modify the values in the parent frame.

# Mutating Arguments

- Functions can mutate objects passed in as an argument
- Declaring a new variable with the same name as an argument only exists within the scope of our function
  - You can think of this as creating a new name, in the same way as redefining a variable.
  - This will **not** modify the data outside the function, even for mutable objects.
- **BUT**
  - We can still directly modify the object passed in...even though it was created in some other frame or environment.
  - We directly call methods on that object.
- [View Python Tutor](#)

# Understanding Python: What should we return?

- Why do some functions return **None**?
- Why do some functions return a value?

Functions that mutate an argument **usually** return None!

C88C / 61A / Data Science View: Avoid mutating data unless it's necessary!

Mutations are useful, but can get confusing quickly. This is why we focus on *functional programming* - map, filter, reduce, list comprehensions, etc.

# Functions that Mutate vs Return New Objects

- Lists:
  - `sorted(list)` – returns a new list
  - `list.sort()` – modifies the list, returns `None`
  - `list.append()` – modifies the list, returns `None`
  - `list.extend()` – modifies the list, returns `None`
  - `list.pop()` – modifies the list, returns the item

# Python Gotcha's: `a += b` and `a = a + b`

- Sometimes similar **looking** operations have very different results!
- Why?
- `=` always binds (or re-binds) a value to a name.
- [Python Tutor](#)

```
def add_data_to_thing(thing, data):  
    print(f"+=, Before: {thing}")  
    thing += data  
    print(f"+=, After: {thing}")  
    return thing
```

```
def new_thing_with_data(thing, data):  
    print(f"=, Before: {thing}")  
    thing = thing + data  
    print(f"=, After: {thing}")  
    return thing
```

# Computational Structures in Data Science

---

Thank You!

Berkeley  
UNIVERSITY OF CALIFORNIA