

Computational Structures in Data Science

Object-Oriented Programming: Part 2, Inheritance

Week 5, Summer 2024. 7/15 (Mon)

Lecture 15

Berkeley
UNIVERSITY OF CALIFORNIA

Announcements

- Midterm this week!
- Project01 (“Maps”) due 7/18 (Thurs!)
- HW07, Lab07 due tonight!

Announcements: Midterm

- Midterm this week!
- **Important:** please carefully read this Ed post: [Midterm Megathread](#). It is your responsibility to read and understand the entirety of this post, particularly the [Midterm Logistics](#) and [Online Midterm Logistics](#) posts.
- Failure to do so can, at worst, lead to issues like academic integrity violations or missed exams, and can lead to your midterm score being cancelled!
- "Primary" Midterm exam time: Wednesday July 17th 2024, 3 PM – 5 PM PST
- **(Alternate Exam Times, DSP):** on Friday (7/12) we sent an e-mail to all students that needed an alternate exam time, and assigned them their midterm time slot.
 - If you didn't receive an e-mail, please let us know ASAP by asking in Ed or e-mailing us at cs88@berkeley.edu

Today's lecture content

- OOP: inheritance
- Python “magic methods”
- ex: `__init__`, `__add__`, `__repr__`, `__str__`, etc

Computational Structures in Data Science

Reviewing Our Account



Class Attributes: Keeping Track of Our Instances?

- Problem:
 - We can make many accounts... they all live in memory.
 - But how do we know what all of our accounts are?
 - How could we create an account number which is always increasing?
- Solution:
 - A *class* in Python can manage data shared across all instances
 - We call these *class attributes* which are distinguished from *instance attributes*

Classes Can Have Attributes Too!

- Class attributes (as opposed to *instance* attributes) belong to the class itself, instead of each object
 - This means there is one value which is shared for all of the class's objects
- Be Careful!
 - It's easy to overdo class attributes
- Methods that rely only on class attributes are called *class methods*
- Python has some special features we won't use, but are useful
- [Declaring a method as belonging to a class, not an instance.](#)

Important: in this class, we will not require you to use `@classmethod`, `@staticmethod` in exams, nor do you need to understand the difference between the two. But if you're curious, [here's a good explanation of the difference.](#)

Example: class attribute

```
class BaseAccount:
    account_number_seed = 1000

    def __init__(self, name, initial_deposit):
        self._name = name
        self._balance = initial_deposit
        self._acct_no = BaseAccount.account_number_seed
        BaseAccount.account_number_seed += 1

    def name(self):
        return self._name

    def balance(self):
        return self._balance

    def withdraw(self, amount):
        self._balance -= amount
        return self._balance
```


More class attributes

```
class BaseAccount:
    account_number_seed = 1000
    accounts = []
    def __init__(self, name, initial_deposit):
        self._name = name
        self._balance = initial_deposit
        self._acct_no = BaseAccount.account_number_seed
        BaseAccount.account_number_seed += 1
        BaseAccount.accounts.append(self)

    def name(self):
        ...

    def show_accounts():
        for account in BaseAccount.accounts:
            print(account.name(),
                  account.account_no(), account.balance())
```

Are There Better Approaches?

- BEWARE! Class attributes are useful but can get confusing.
- Perhaps what we want is a **Bank()** class
 - The bank would have a `create_account()` method
 - Each `Bank()` would have its own accounts list, as a set of instance variables.

```
class Bank():
    def __init__(self):
        self.account_no_seed = 1000
        self.accounts = []
    def create_account(self, name, balance):
        acct = BaseAccount(name, balance, self.account_no_seed)
        self.accounts.append(acct)
        self.account_no_seed += 1
```

Computational Structures in Data Science

Object-Oriented Programming: Inheritance

Berkeley
UNIVERSITY OF CALIFORNIA

Learning Objectives

- Inheritance allows classes to reuse methods and attributes from a parent class.
- `super()` is a new method in Python
- Subclasses or child classes are distinct from another, but share properties of the parent.

Class Inheritance: Motivation

- Say we are working in the vehicle domain, and define a class for each vehicle type
- Observation: many of these classes are very similar
 - Car, SportsCar, SUV have lots of shared functionality, eg methods like: `drive()`, `fill_up_gas()`, `open_door()`, etc
- However, they are all different classes, so we will likely have lots of repeated code
- Is there a better way?

```
class Car:  
    pass
```

```
class SportsCar:  
    pass
```

```
class SUV:  
    pass
```


```
class Tank:  
    pass
```

```
class Boat:  
    pass
```

...

Class Inheritance

- **Idea:** model our vehicle classes via a type hierarchy!
- Classes can inherit methods and attributes from parent classes but extend into their own class.



Inheritance

- Define a class as a specialization of an existing class
- Inherent its attributes, methods (behaviors)
- Add additional ones
- Redefine (specialize) existing ones
 - Ones in superclass still accessible in its namespace

Python class statement

```
class ClassName:  
    <statement-1>  
    .  
    .  
    .  
    <statement-N>
```

```
class ClassName ( inherits / parent-class ):  
    <statement-1>  
    .  
    .  
    .  
    <statement-N>
```


Example

CheckingAccount
inherits from the
BaseAccount class

BaseAccount is the
“parent class” of the
CheckingAccount class.

(jargon)
CheckingAccount
“extends” BaseAccount

```
class BaseAccount:
    def __init__(self, name, initial_deposit):
        # Initialize the instance attributes
        self._name = name
        self._acct_no = Account._account_number_seed
        Account._account_number_seed += 1
        self._balance = initial_deposit
```

```
} class CheckingAccount(BaseAccount):
    def __init__(self, name, initial_deposit):
        # Use superclass initializer
        BaseAccount.__init__(self, name, initial_deposit)
        # Alternatively (recommended):
        # super().__init__(name, initial_deposit)
        # Additional initialization
        self._type = "Checking"
```

Accessing the Parent Class: `super()`

- `super()` *binds* methods in the parent or "superclass" to the current instance
 - Can be called anywhere in our class
 - Handles passing `self` to the method
 - Handles looking up an attribute on a parent class, too.
- We can directly call `ParentClass.method(self, ...)`
 - This is not quite as flexible if our class structure changes.
- In general, prefer using `super()`!
- Outside of C88C, things can get complex...
 - <https://docs.python.org/3/library/functions.html#super>

Accessing the Parent Class: super()

```
class Person:
    def __init__(self, age):
        self.age = age
    def have_birthday(self):
        self.age += 1
        return f"Now I'm one year older: {self.age}!"
    def have_fun(self):
        return "Whee!"

class Employee(Person):
    def __init__(self, age, company_name):
        super().__init__(age)
        self.company_name = company_name
    def have_birthday(self):
        out_super = super().have_birthday()
        return out_super + f" Well, time for work at {self.company_name}!"
    def have_fun(self):
        return f"I can't have fun, I have to work at {self.company_name}!"
```

```
>>> youngster = Person(10)
>>> youngster.have_birthday()
Now I'm one year older: 11!
>>> youngster.have_fun()
Whee!
>>> employee = Employee(35, "BigCorp")
>>> employee.have_birthday()
Now I'm one year older: 36! Well, time
for work at BigCorp!
>>> employee.have_fun()
I can't have fun, I have to work at
BigCorp!
```

Computational Structures in Data Science

Object-Oriented Programming: Evolving The Bank Model

Berkeley
UNIVERSITY OF CALIFORNIA

Composing Classes Together

- Currently, our **BaseAccount** stores a lot of data in class attributes...
- This suggests we are trying to accomplish an entirely new kind of class, or object
 - A Bank!
- We should extract that these functions into their own class
- A bank can now manage:
 - making accounts
 - keeping track of account numbers
 - showing and listing accounts

Demo: lecture15.py, BaseAccount +
Bank class ([DEMO1])

Computational Structures in Data Science

Object-Oriented Programming: "Magic" Methods

Berkeley
UNIVERSITY OF CALIFORNIA

Learning Objectives

- Python's Special Methods define built-in properties
 - `__init__` # Called when making a new instance
 - `__sub__` # Maps to the `-` operator
 - `__str__` # Called when we call `print()`
 - `__repr__` # Called in the interpreter

Special Initialization Method

`__init__` is called automatically when we write:

```
my_account = BaseAccount('me', 0)
```

```
class BaseAccount:
```

```
    def __init__(self, name, initial_deposit):  
        self.name = name  
        self.balance = initial_deposit
```

```
    def account_name(self):  
        return self.name
```

```
    def account_balance(self):  
        return self.balance
```

```
    def withdraw(self, amount):  
        self.balance -= amount  
        return self.balance
```


More special methods: `__repr__` vs `__str__`

```
class BaseAccount:
    ... (init, etc removed)
    def deposit(self, amount):
        self._balance += amount
        return self._balance

    def __repr__(self):
        Goal: unambiguous
        return '< ' + str(self._acct_no) +
            '[' + str(self._name) + ']' >'

    def __str__(self):
        Goal: human readable
        return 'Account: ' + str(self._acct_no) +
            '[' + str(self._name) + ']'

    def show_accounts():
        for account in BaseAccount.accounts:
            print(account)
```

More special methods: `__repr__` vs `__str__`

```
class BaseAccount:
    ...
    # Display representation
    def __repr__(self):
        return f'<{self.account_type()}:
{self.account_name()}-{self.account_number()}>'

    # Print representation
    def __str__(self):
        return f'{self.account_type()}:
{self.account_name()}-{self.account_number()}
Balance: {self._balance}'

    __repr__ goal: unambiguous
    __str__ goal: human readable
```

Tip: `__repr__` vs `__str__`

```
# Python interpreter outputs repr()
>>> account_c
<BaseAccount: account_c-1000>
# print() calls str()
>>> print(account_c)
BaseAccount: account_c-1000 Balance:
9999
>>> str(account_c)
'BaseAccount: account_c-1000
Balance: 9999'
>>> repr(account_c)
'<BaseAccount: account_c-1000>'
```

More Magic Methods

- We will **not** go through an exhaustive list!
- Magic Methods start and end with "double underscores" `__`
- They map to built-in functionality in Python. Many are logical names:
 - `__init__` → Class Constructor
 - `__add__` → + operator
 - `__sub__` → - operator
 - `__getitem__` → [] operator
 - `__repr__` and `__str__` → control output
- A longer list for the curious:
 - <https://docs.python.org/3/reference/datamodel.html>

Live Demo

Demo: lecture15.py, magic methods,
[Demo2]

Aside: opinions on OOP

- Object oriented programming (OOP) got really popular in the 1980's/1990's.
 - Java (“what if EVERYTHING was a Class?”), C++ (“C with Classes”)
- With hindsight, one learning is that OOP is not always the software paradigm
- OOP is a great tool...for the right situation
 - some people have very strong opinions for and against OOP
- **Alternatives:** functional (aka map/reduce/filter), imperative, declarative (SQL)
- **My advice:** try to use the best tool for the problem at hand.
 - Avoid the “with a hammer, every problem looks like a nail” syndrome

Aside: opinions on coding. Any questions?

- At the end of the day: it's very hard to design programs the “right way”
 - A “good design” lets you be productive and solve problems. Feels great!
 - A “bad design” feels like you are suffocated by an unwieldy API, etc
- This is an art! Like any craft, to get better at it **you must practice**
 - Experience + wisdom. (usually gained by learning through mistakes, heh)
- **“Your first 100 songs will suck. So, start writing and get them out of the way!”** – advice on songwriting
 - 100% the same for writing code!



Source: <https://www.scotthyoung.com/blog/2019/08/26/better-writing-brainstorm/>